Work Order ID 1 October-17-13 1:23:35 PM			*1083	8 8*							Page 1
Item ID: D3859-041 Revision ID: Item Name: Wearplate			Accept *	N 900	040	100)*	Setup S	Start Stop	ı Vı .	S1* S2*
Start Date: 10/14/13 Required Date: 10/17/13 Reference:	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:						
,	lan: <u>ML</u> ゴ				nte:				Start Stop		R1* R2*
Sequence ID/ Work Center ID	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Rejec Qty		Reject Number	Insp. Stamp
Draw Nbr Ro	evision Nbr										
D3859 RI	EV A										
100 *100* Waterjet FLOW CNC Waterjet 304.063"	FLOW WATER JET Memo 1-Cut as per Deburr if ne	Dwg D3859 Dwg Rev:	0.00 0.00 Prog Rev: A 2-				6)		Jm13-11-
110 *110* QC Quality Control	QC2- Inspect parts off m Memo	achine FAI/FAIB	0.00				6	6		-	Im13-11-
*120 *120* QC	QC8- Inspect parts - seco	and check	0.00 DAS 27 9-89 13.11.0				6	<u>-</u>			

Quality Control

										DQA:	Date:	
NCR: Y	es / N	0				WORK ORDER NON-C	ONFOR	MANCE / UP		QA Closed:	Date:	
Work Orde	r:					DISPOSITION	,		AGAINST DE	PARTMENT		
Part N	o				·	Rework Scrap Use-as-is		Skid-tube Machining noforming	Crosstube Small Fab Finishing		Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR N	lo			· · · · · · · · · · · · · · · · · · ·		Work Order Update		Large Fab	Composite		Supplier	
Root					Descri	ption of work order update	Initial	Ac	tion	Sign &		
Cause	Dat	e	Step	Qty	(or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling									j			
Operator												
Material		ł								1		
Setup												
Other		1										
Process												
Supplier		- 1					1					

FAULT CATEGORY									
Landing G	Gear		General						_
	Bending		Bend		Grain		Ovalized		Pressure/Forced
	Centre Not Concentric to O/S		BOM/Route		Hardware		Over/Under tolerance	L	Temperature/Cure
	Cracks		Broken/Damaged		Inspection Incomplete		Part Incorrect		Weld
	Crushed/Crimped		Burrs		Instructions Incomplete/Unclear		Part Lost/Missing		Wrong Stock Pulled
	Cuffs		Contamination		Maintenance		Part Moved		
	Heat Treat		Countersink		Mislabeled		Positioned Wrong		_
	Inspection Strip in Tube		Cut Too Short		Misread		Power Loss/Surge		Other
	Ripples in Bend		Drill Holes		Offset				
	Torque Waves in Extrusion		Drawing		Out of Calibration				
	Turning Sequence		Finish		Out of Sequence				
	Wave/Twist in Tube		Folio		Outside Dimensions				

Training Unapproved

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Order ID 108388 Page 2 October-17-13 1:23:35 PM D3859-041 Item ID: Accept *N900040100* Setup Start **Revision ID:** Wearplate Item Name: 10/14/13 Start Qty: 6.00 **Start Date: Cust Item ID:** Required Date: 10/17/13 Req'd Qty: 6.00 **Customer:** Reference: Run Process Plan: Date: Approvals: Tooling: Date: ____ Stop QC: ____ Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. Work Center ID **Description** Code Oty **Qty** Number Stamp **Run Hours** 0.00 130 Large Fab *120* 13-11-13 Large Fab 0.00 Memo 1-Weld D3009-3 cups as per dwg D3859 A/R 316L stainless steel rod Batch: 2-Weld hard facing as per Dwg D3859 A/R Large Fab 2059B Hard Coat rod Batch: m/27/12>20595**use DT9462 for welding***** QC9- Inspect visual per QSI004- Fusion Welds 140 0.00 *140* OC 0.00 Memo **Quality Control** QC5- Inspect part completeness to step on W/O 150 0.00 *150*

0.00

Memo

QC

Quality Control

									DQA:	Date:	
NCR: Yes	s / No			WOF	RK ORDER NON-C	ONFORM	MANCE / UP		QA Closed:	Date:	
Work Order:					DISPOSITION			AGAINST DE	PARTMENT,	/PROCESS	_
Part No.					Rework Scrap Use-as-is		Skid-tube Machining noforming	Crosstube Small Fab Finishing	1	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR No			·-··	\ w	ork Order Update	11.6111	Large Fab	Composite	1100,010	Supplier	
Root				Description of	work order update	Initial	Act	tion	Sign &		
Cause	Date	Step	Qty	or Non-c	conformance	Chief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data											
Equip/Tooling											
Operator											
Material											
Setun											

Landing Gear General 1. Bend Bending Grain Ovalized Pressure/Forced BOM/Route Over/Under tolerance Centre Not Concentric to O/S Hardware Temperature/Cure Broken/Damaged Cracks Inspection Incomplete Part Incorrect Weld Crushed/Crimped Burrs Instructions Incomplete/Unclear Part Lost/Missing Wrong Stock Pulled Cuffs Contamination Maintenance Part Moved Heat Treat Countersink Mislabeled Positioned Wrong Inspection Strip in Tube Cut Too Short Misread Power Loss/Surge Other Ripples in Bend Drill Holes Offset Torque Waves in Extrusion Out of Calibration Drawing Turning Sequence Finish Out of Sequence Wave/Twist in Tube Folio Outside Dimensions

FAULT CATEGORY

Other Process Supplier Training Unapproved

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde		8388	n Agentae in Litera tevite	*108:	388*		ה הבבניים מיני				Page 3
Item ID: Revision ID: Item Name: Start Date:	D3859-041 Wearplate 10/14/13	Start Qty: 6.00	*6*	Accept	*N900 Cust Item I		100)*	Setup Sta	IVI	S1* S2*
Required Date: Reference:	10/17/13	Req'd Qty: 6.00	*6*		Customer:		-		Run Sta		
Approvals:		an:	Date:	0		te:			Sto	!/	R1* R2*
Sequence ID/ Work Center II 160 *160* Powdercoat Powder Coating)	Operation Description Grey Sandtex(Ref.4.3.7.6) Memo START TIME	_	Set Up/ Run Hours 0.00 0.00 OVEN TEMPERATURE:	Tool ID	Tool#	Plan Code	Accept Qty	Qty	Reject Number	•
170 *170* QC Quality Control		QC3- Inspect Part Finish Memo		0.00 DAS 27 9-89	- >			6			

180 Packaging

Packaging

Identify as per dwg & Stock Location:

Memo PPP 10 8389 300 10 8 757 47

											DQA:	D:	ate:	
NCR:	⁄es	/ No				WORK ORDER NON-C	100	VFORM	MANCE / UPDATE				•	
											QA Closed:	Di	ate:	
Work Orde	or.					DISPOSITION			AGAINST (DE	PARTMENT	/PROCESS		
Work Orac	-''-					Rework	1		Skid-tube Crosstube		1	Water Je	t∏	Engineering
Part N	No.					Scrap			Machining Small Fab	\neg	Pro	d. Eng. Coor	\vdash	Quality
	-					Use-as-is]	Thern	noforming Finishing		Rec/Sto	re/Packaging	<u> </u>	Other
NCR I	۷o					Work Order Update]		Large Fab Composite			Supplie	r	
					l						T			
Root					1	ption of work order update		Initial	Action		Sign &		1	
Cause	\dashv	Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Description		Date	Verification	on	QC Inspector
Doc/Data	Ц		:				l						-	
Equip/Tooling	Ш												1	
Operator	Ш												- 1	
Material	Ш													
Setup	Ц												- 1	
Other	Ш						İ							
Process	Ш												- 1	
Supplier	Ш												1	
Training	Ш													
Unapproved														
				· · · · · · · · · · · · · · · · · · ·		F.	AUL	LT CATE	GORY					
Landi	ng G	ear				General	_	=			_			
*		Bending				Bend	L	Grain			Ovalized			Pressure/Forced
	\square	Centre No	ot Conce	ntric to	o/s	BOM/Route	L	Hardwa	re		Over/Under	tolerance		Temperature/Cure
		Cracks				Broken/Damaged		Inspect	on Incomplete		Part Incorre	ct		Weld
	Crushed/Crimped Burrs			Instructions Incomplete/Unclear Part Lost/M			issing		Wrong Stock Pulled					
Cuffs Contamination					Maintenance Part Moved									
1	Heat Treat Countersink				Mislaheled			Positioned V	Vrong					

Misread

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Power Loss/Surge

Other

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

0.00

0.00

Memo

190

QC

100

Quality Control

Page 4

										DQA.	Date.	•	
NCR: Y	'es /	No				WORK ORDER NON-	CONFOR	MANCE / UP	DATE	QA Closed:	Date:	•	
Mark Ord			,			DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Work Orde Part N NCR N	No. Rework Scrap Use-as-is No. Work Order Update					Scrap Use-as-is	Ther	Skid-tube Machining moforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other	
Root					Descri	ption of work order update	Initial	Ac	tion	Sign &			
Cause	D	ate	Step	Qty	(or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector	
Doc/Data		ļ					1						
Equip/Tooling		1						1					
Operator		ļ											
Material		1									! !		
Setup													
Other													
Process		i											
Supplier													
Training		j											
Unapproved]								<u></u>			
						F	AULT CAT	GORY					
Landi	ng Gear		•		_	General	_			7		-	
		ding				Bend	Grain			Ovalized		Pressure/Forced	
	Cen	tre No	t Conce	ntric to	o/s	BOM/Route	Hardw	are	<u> </u>	Over/Under	tolerance	Temperature/Cure	
	Cra	cks				Broken/Damaged	Inspec	tion Incomplete		Part Incorre	ct	Weld	
	Crushed/Crimped Burrs			Instruc	tions Incomplete/	'Unclear	Part Lost/M	issing	Wrong Stock Pulled				
	Cuffs Contamination			Maint	Maintenance								
	Heat Treat Countersink			Mislab	Mislabeled			Positioned Wrong					
	Inspection Strip in Tube Cut Too Short			Misrea	nd		Power Loss/	'Surge	Other				

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

October-17-13 1:23:35 PM

Work Order ID:

108388

Parent Item:

D3859-041

Parent Item Name:

Wearplate

Start Date: 10/14/13

Required Date: 10/17/13

Start Qty: 6.00

Required Qty: 6.00

Comments:	IPP Rev:A 09-02-0	3 new issue D	D verified	by:EC							
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	

M304S16GA 304/316 Sheet .063

Qty Issued

Date Status Issued

6 0.85 No 100 405.0840 Purchased Jm3-10-1

> Location Loc Qty Loc Code MAT020 405.0839998 140.2 123136 M126159 31.5 M126915 233.384

Manufactured

No

130

Each

58.0000

126159

ane 13.11.06

B103891 × 36

Location Loc Qty Loc Code WA 24 24 107642 WA001 34 79078 30 88386 3 93296

DQA:	Date:	•	•

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

IVCN.	es / NO				WORK ORDER HOR-		VIAIVEL / OI		QA Closed:	Da	te:		
Work Orde	ŕ:				DISPOSITION		AGAINST DEPARTMENT/PROCESS						
Part N	0				Rework Scrap Use-as-is	- 1	Skid-tube Machining noforming	Crosstube Small Fab Finishing		Water Jet d. Eng. Coor. re/Packaging	Quality		
NCR N	0			· · ·	Work Order Update] ''''	Large Fab	Composite	1100,010	Supplier	\blacksquare		
Root				Descr	ption of work order update	Initial	Ac	tion	Sign &				
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	ription	Date	Verificatio	n QC Inspector		
Doc/Data		1											
quip/Tooling							ļ						
Operator							•						
Material					•								
etup					,	:							
Other													
Process													
Supplier		· ·								1			
Training	_	İ											
Jnapproved		1	<u> </u>			1	<u> </u>						
						AULT CATE	GORY				· · ·		
Landir [ng Gear				General				۱				
}	Bending				Bend	Grain		<u> </u>	Ovalized		Pressure/Forced		
}		ot Conce	ntric to	^{0/5} -	BOM/Route	Hardwa		_	Over/Under		Temperature/Cure		
-	Cracks	<i>(c:</i>	•	-	Broken/Damaged	—	ion incomplete		Part Incorre		Weld		
-	 i	/Crimped		-	Burrs		tions Incomplete/	Unclear	Part Lost/M	issing	Wrong Stock Pulled		
-	Cuffs				Contamination	Mainte		<u> </u>	Part Moved	• • • • • •			
	Heat Tre		Tuba	<u> </u>	Countersink	Mislabe		<u> </u>	Positioned \	-	Other		
	Ripples in	on Strip in	rube	-	Cut Too Short Drill Holes	Misrea Offset	u		Power Loss/	ourge	Totner		
}	—		Evtrucia	<u> </u>		├ ─	Calibration						
	Torque Waves in Extrusion Drawing Turning Sequence Finish		Out of Calibration Out of Sequence										
ļ	→ *	sequence wist in Tul			Folio		e Dimensions			· · · · · · · · · · · · · · · · · · ·			
	[vvave/1V	NISCIII IU	UC		טווט ון		- DITTICHS10113						

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

DART AEROSPACE LTD	Work Order:	108388
Description: Wearplate	Part Number:	D3859-1
·		
Inspection Dwg: D3859 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.879	+0.010/-0.001	0, 580*	_		V	Jimoi
0.75	+/-0.030	0.754"	ı		V	
4.250	+/-0.010	4.256"	_		V	
3.00	+/-0.030	3.000	ł		ν	
5.75	+/-0.030	5.759	_		V	
9.000	+/-0.010	9005	-		V	EUCHSON
1.50	+/-0.030	1.506	_		V	
20.40	+/-0.030	20.40	_		T	Jkno6
0.063	+/-0.010	0.058°	_		V	
		<u> </u>	DAS			, , <u> </u>

Measured by:	Jim	Audited by:	27 9-89	Prototype Approval:	N/A
Date:	13-11-1	Date:	13-1101	Date:	N/A

Rev	Date	Change		Revis		Approved
Α	09.05.20	New Issue	P/O D3859-041	KJ	- 0X}	



